

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	6616	(flip-flop flip adj flop register\$1 memor\$3) with (second near3 power)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 16:59
S44	5584	(decreas\$3 reduc\$4 lower \$3 set\$4) near6 (zero ground) near6 (power adj2 (supply source))	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:01
S46	27	S45 same S43	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:02
S45	754	S44 same (standby standby second backup back-up alternate alternative) near6 (power adj2 (supply source))	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:02
S48	4	S46 and S47	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:03
S47	5982128	@ad< "20020828"	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:03
S50	9	S49 and 713/3\$2.cds.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:07
S49	342	S45 and S47	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/22 17:07
S51	11	("5167024" "5283792" "5689714" "5889968" "6014751" "6128747" "6157979" "6209088" "6449683" "6546472" "6694443").PN. OR ("7539878").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/22 17:19
S52	2	("2003/0056127").URPN.	USPAT	OR	OFF	2009/06/22 17:21
S55	44112	(decreas\$3 reduc\$4 lower \$3 set\$4) near6 (zero ground) near6 (power voltage)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:45
S54	5592	S53	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:45

S53	5592	(decreas\$3 reduc\$4 lower \$3 set\$4) near6 (zero ground) near6 (power adj2 (supply source))	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:45
S59	5982270	S58	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:46
S58	5982270	@ad< "20020828"	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:46
S57	5761	S55 same S56	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:46
S56	510201	(standby stand-by second backup back-up alternate alternative) near6 (power voltage)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:46
S60	9082	713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:47
S61	27	S57 and S58 and S60	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 11:51
S65	7	S64 and S60	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:06
S64	205	S63 and S58	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:06
S63	468	S62 same S56	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:06
S62	2534	S55 with (memor\$3 flip- flop flip adj flop register\$1 cache)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:06
S67	897	S55 with S66	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:11
S66	786615	(latch flip-flop flip adj flop register\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:11
S69	34	S68 and (S60 leakage near3 (reduc\$4 decreas\$3 lower\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:12
S68	600	S67 and S58	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:12
S70	11918	S66 with S66	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:57

S73	3	S72 and S60	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:58
S72	54	S71 and S58	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:58
S71	122	S70 same S55	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 12:58
S74	63472	leakage near3 (reduc\$4 decreas\$3 lower\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 13:08
S77	39	S76 and S58	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 13:09
S76	147	S75 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 13:09
S75	587	S70 and S74	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 13:09
S79	23	S78 same S55	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 13:11
S78	2345	S66 with ((power voltage) adj2 (supply source)) near4 (second alternate alternative backup back-up standby stand-by stand adj by back adj up)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 13:11
S80	5	("5777489" "6433586"). PN. OR ("6762638").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/23 14:34
S82	1	"7457971".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/23 15:01
S81	0	"7457971.pn"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/23 15:01
S85	2	S84.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 17:47
S84	10	state adj retaining adj circuit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 17:47
S83	1705	state adj retaining	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/23 17:47

S86	7825	(power voltage) adj2 (supply source) with (second near5 (both together))	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:06
S90	120	S89 and memory	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:07
S89	200	bae.xa.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:07
S88	5	S87 and 713/3\$2.cds.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:07
S87	355	S86 with (memor\$3 flip-flop adj flop latch\$2 register\$1 cache\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:07
S91	101	S89 and memory and power	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:08
S93	208	S87 and S92	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:20
S92	5982270	@ad< "20020828"	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:20
S94	15393	(retain\$3 hold\$3 keep\$3 stor\$3 sav\$3 maintain\$3) near4 (data state) with power near3 (mode\$1 state \$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:24
S97	5	S96 same S94	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:25
S96	400	S95 with (memor\$3 flip-flop flip adj flop latch\$2 register\$1 cache\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:25
S95	8580	(power voltage) adj2 (supply source) with ((second back-up backup standby stand-by alternate alternative) near5 (both together))	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:25
S98	34050	((power voltage) adj2 (suppl\$3 source\$1)) near4 both	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:47
S102	3	S101 and 713/3\$2.cds.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:48
S101	61	S100 and S92	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:48

S100	96	S96 same S98	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:48
S99	4	S96 same "34"	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:48
S105	18	S104 and S92	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:49
S104	28	S96 same S103	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:49
S103	9979	((power voltage) adj2 (suppl\$3 source\$1)) near4 together	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:49
S108	66	S94 and S107	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:51
S107	1300	S106 with (memor\$3 flip- flop flip adj flop latch\$2 register\$1 cache\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:51
S106	39661	((power voltage) adj2 (suppl\$3 source\$1)) near3 two	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:51
S109	25	S108 and S92	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/24 14:52
L1	9116	713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:39
L5	1581	active adj mode with standby adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:50
L4	2	3.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:50
L3	10	state adj retaining adj circuit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:50
L2	56	326/136.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:50
L9	1	8.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:51
L8	2	6 with data adj storage adj unit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:51

L7	47	6.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:51
L6	135	5 with power adj supply	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:51
L14	1	13.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:52
L13	7	12 with data adj storage adj unit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:52
L12	82	11 with control adj unit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:52
L11	442	10 with data adj output adj unit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:52
L10	4437	data adj input adj unit	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:52
L17	1	16.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:53
L16	6	15 with standby adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:53
L15	5571	state adj retain\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/06/30 16:53

6/30/2009 4:54:08 PM

C:\Documents and Settings\jbae\My Documents\EAST\Workspaces\10525488_state_retain.
wsp